RELIABILITY IN EVERY REVOLUTION

POWER TRANSMISSION BELT MANUFACTURER OF THE YEAR 2025

AWARDED BY MANUFACTURING OUTLOOK

HVAC

BELTS CROSS

Dura-Prime Classical	A, B, 4L, 5L
Dura-Extreme Classical	AX, BX
Dura-Prime Wedge	3V, 5V
Dura-Extreme Wedge	3VX, 5VX
Dura-Link	3L, A, B

FEATURES

- Quality belts resulting in reduced downtime & maintenance costs
- Resistant to oil, heat, moisture, and steam
- Superior flexing, enhanced grip for moist conditions
- Resistant to hardening and glazing
- High strength polyester or aramid cord
- Durable advanced rubber compound
- ELITE line available featuring EPDM rubber

USES

- Air filtration systems
- Air handling units
- Cooling towers
- Air exchangers
- Water chillers
- Exhaust fans

Scan for more information!

877.784.9267
SALES@DDGLOBAL.COM

DDGLOBAL.COM

2672 ROCK RIDGE DR.
ROCK VALLEY IA, 51247

D&D

RELIABILITY IN EVERY REVOLUTION

Why D&D for HVAC?

Our Vertical Integration Process Ensures Superior Quality & Value

By manufacturing our own cord and fabric, owning rubber tree plantations and belt molds, and mixing chemicals to create our own compounds we eliminate reliance on external manufacturers for essential materials. This guarantees top quality belts and eliminates inflated pricing.

BECAUSE TESTING PROVES OUR BELTS ARE THE BEST!

In independent testing conducted by the Akron Rubber Development Laboratory, Inc.*, D&D belts outperformed Gates and Browning belts in break force strength by an average of 17% - 34.7%, and within an average of 1.16% - 3% in elongation.

This clearly shows our belts not only match but often exceed the quality of those from an industry leader, and are offered at a more competitive price thanks to our vertical integration manufacturing process.

It's a win-win for both our partners and their customers.

* Independent testing results available upon request.

** Additional fees assessed for emergencies.

TOP SALES & SUPPORT

- Over 60 sales & customer service reps
- Phones answered by real people
- Online inventory search & order portal
- Quick response times
- Midwest nice

LOCATIONS

POWER TRANSMISSION BELT MANUFACTURER OF THE YEAR 2025

98% Orders ship same day

165,000 sq ft Total warehouse space

18+ Months of inventory in stock

35,000+ Unique SKUs

877.784.9267
SALES@DDGLOBAL.COM

DDGLOBAL.COM

2672 ROCK RIDGE DR.
ROCK VALLEY IA, 51247

Testing Results

BX85E

Manufacturer	Maximum Elongation, %	Breaking Strength, lbf
D&D	**8.61**	**3003**
Browning	7.51	2816.4

AX50E

Manufacturer	Maximum Elongation, %	Breaking Strength, lbf
D&D	**6.85**	**1814.43**
Browning	7.59	1922

B97

Manufacturer	Maximum Elongation, %	Breaking Strength, lbf
D&D	**8.90**	**2980**
Browning	8.36	3193.18

3VX670E

Manufacturer	Maximum Elongation, %	Breaking Strength, lbf
D&D	**8.03**	**1747.6**
Browning	4.31*	742

* Low elongation is a result of premature breaking before elongation could occur

Our Global Partners Who Trust D&D: